



Easy Peel Package

The innovative packaging solution for reactive VESTOPLAST® grades.

VESTOPLAST®

Evonik. Power to create.





Infos

Material will commercially be available in our Easy Peel Packaging with a net weight of 10 kgs from **01.04.2014** onwards!

Any further questions or more information needed? Please contact our responsible technician **Dr. André Ebbers.**
 andre.ebbers@evonik.com

The Task

Find a new packaging solution for reactive VESTOPLAST® 206 which optimizes the handling for our customers and secures the product quality!

The Solution

An innovative moisture resistant Non-Adhesive Packaging!

Against the common packaging form of 160 kg drum or 22 kg hobcock this new Easy Peel Packaging shows significant advantages:

- safer and easier handling than hot drums
- no risk of gelation due to new filling process into a 100% moisture resistant packaging
- significant less packaging material per kg
- no product losses due to residuals in drums

Watch our demonstration video

Please convince yourself of the new Easy Peel Package and watch our video via the QR code.



Your benefits

Improved safety, product quality, sustainability and additionally cost savings

VESTOPLAST® 206 Easy Peel Package

Benefit	Aspect	Drum/Hobcock	Easy Peel Package
Safety	Handling of hot drums	required	n/a
Quality	Risk of gelation	partially	none
Sustainability	Loss of material	5 – 10 %	n/a
Disposal	Share of packaging in total weight	9 – 12 % sorted disposal	1 % household waste
Energy	Heating of thermal chambers, drum melters	required	n/a
Logistics	Movement and storage of empty containers	required	n/a

This information and all further technical advice is based on our present knowledge and experience. However, it implies no liability or other legal responsibility on our part, including with regard to existing third party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. The customer is not released from the obligation to conduct careful inspection and testing of incoming goods. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of a customer. Reference to trade names used by other companies is neither a recommendation, nor does it imply that similar products could not be used.
(April 2008)



Evonik Industries AG

Coatings & Additives
Dr. André Ebbers
Paul-Baumann-Straße 1
45764 Marl
Germany

PHONE +49 2365-4902
andre.ebbers@evonik.com
www.evonik.com/designed-polymers

Evonik. Power to create.